

CALIFORNIA DEPARTMENT OF PUBLIC HEALTH850 MARINA BAY PARKWAY
RICHMOND, CA. 94804

Dear Licensee:

Attached below is your license for the production of Biologics
Your license is void after the expiration date below.NOTE: Application for renewal of license must be filed with
the department not less than 10 days prior to its expiration
date and shall be accompanied by the annual renewal fee.
Failure to make a timely renewal shall result in expiration
of the license.California Health and Safety Code, Section 1615. Automatic
revocation; new license prior to change; proceedings
for denial.(a) A license shall be automatically revoked when there is a
change of address, ownership, or person in charge of biologics
production. However, a new license may be secured for the new
location, owner or person in charge prior to the actual change,
provided the contemplated change is in compliance with all the
provisions of this chapter, and regulations pertaining thereto.(b) Proceedings for denial of license shall be conducted in
accordance with Chapter 5 (commencing with Section 11500),
Part 1, Division 3, Title 2 of the Government Code.XYTEX LABORATORIES AND TISSUE SERVICES
1100 EMMETT STREET
AUGUSTA, GA. 30904**QUESTIONS AND INFORMATION:**

If you have any questions, please write to:

STATE OF CALIFORNIA
DEPARTMENT OF PUBLIC HEALTH
Laboratory Field Services, Biologics
320 W. 4th Street, Suite 890
Los Angeles, Ca. 90013

FOLD HERE

FOLD HERE

STATE OF CALIFORNIA DEPARTMENT OF PUBLIC HEALTH


LICENSE FOR THE PRODUCTION OF BIOLOGICSIn accordance with Division 2, Chapter of the Health and Safety Code, the entity named below is hereby licensed
to engage in the production of human whole blood or blood components specified hereon at the indicated address
and its blood collection centers and/or mobile units.XYTEX LABORATORIES AND TISSUE SERVICES
1100 EMMETT STREET
AUGUSTA, GA. 30904PRODUCTS:
WPC, CORP BLOOD

OWNER: THE EMPLOYEE STOCK OWNERSHIP PLAN OF GA CRYOSERVICES INC.

BLOOD BANK ID NUMBER: 9724

ISSUANCE DATE: DECEMBER 23, 2016

EXPIRATION DATE: DECEMBER 22, 2017

MEDICAL DIRECTOR(S):
RONI J. BOLLAG, M.D.*Ron Harkey*Ronald M. Harkey, Chief, Biologics Section
Laboratory Field Services